

L Number	Hits	Search Text	DB	Time stamp
1	684	(sampl\$3 near3 hold\$3) same integration same (time or period or times or periods)	USPAT	2002/11/14 08:20
2	65	(sampl\$3 near3 hold\$3) same integration same (time or period or times or periods) same counter	USPAT	2002/11/14 08:20
3	32	(sampl\$3 near3 hold\$3) same integration same (time or period or times or periods) same counter same reset\$4	USPAT	2002/11/14 08:20
-	0	(sampl\$3 near2 hold\$3) same (analog near2 digital near3 convert\$3)	USPAT	2002/10/30 08:32
-	489	((sampl\$3 near2 hold\$3) same (analog near2 digital)) and (photocell\$1 or photodetector\$1 or photodiode\$1 or photosensor\$1)	USPAT	2002/10/30 09:07
-	747	(sampl\$3 near2 hold\$3) same reference adj voltage\$1 and (analog near2 digital)	USPAT	2002/10/30 09:07
-	226	(sampl\$3 near2 hold\$3) same reference adj voltage\$1 same (analog near2 digital)	USPAT	2002/10/30 10:56
-	16	((sampl\$3 near2 hold\$3) same reference adj voltage\$1 same (analog near2 digital)) and (photocell\$1 or photodetector\$1 or photodiode\$1 or photosensor\$1)	USPAT	2002/10/30 09:07
-	43	(sampl\$3 near2 hold\$3) same reference adj voltage\$1 same (analog near2 digital)	EPO; JPO; DERWENT	2002/10/30 09:26
-	210	((sampl\$3 near2 hold\$3) same reference adj voltage\$1 same (analog near2 digital)) not (((sampl\$3 near2 hold\$3) same reference adj voltage\$1 same (analog near2 digital)) and (photocell\$1 or photodetector\$1 or photodiode\$1 or photosensor\$1))	USPAT	2002/10/30 10:56
-	160	((sampl\$3 near2 hold\$3) or ("s/h")) same analog same dynamic adj range\$1	USPAT	2002/10/30 14:31
-	2769	(reset or enable) with reference adj voltage\$1	USPAT	2002/10/30 14:06
-	444	(reset or enable) with reference adj voltage\$1 with pulse\$1	USPAT	2002/10/30 14:07
-	47	((sampl\$3 near2 hold\$3) or ("s/h")) same analog same (voltage adj control\$3 adj oscillator\$1 or vco) same counter\$1	USPAT	2002/10/30 14:23
-	11	((sampl\$3 near2 hold\$3) or ("s/h")) same analog same (voltage adj control\$3 adj oscillator\$1 or vco) same counter\$1	EPO; JPO; DERWENT	2002/10/30 14:24
-	218	(sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1	USPAT	2002/11/04 07:17
-	96	(sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1	EPO; JPO; DERWENT	2002/11/04 16:35
-	1395	(sampl\$3 near2 hold\$3) with amplifier\$1 same analog same digital	USPAT	2002/11/04 13:29
-	211	(sampl\$3 near2 hold\$3) with amplifier\$1 with (gain\$1 or scal\$3) same analog same digital	USPAT	2002/11/04 15:34
-	57	(sampl\$3 near2 hold\$3) with ground\$3 same analog same digital	USPAT	2002/11/04 15:41
-	6	(sampl\$3 near2 hold\$3) with ground\$3 same analog same digital	EPO; JPO; DERWENT	2002/11/04 15:32
-	24	(sampl\$3 near2 hold\$3) with amplifier\$1 with (gain\$1 or scal\$3) same analog same digital	EPO; JPO; DERWENT	2002/11/04 15:34
-	29	(sampl\$3 near2 hold\$3) with bias\$3 same analog same digital	USPAT	2002/11/04 16:11
-	5	(sampl\$3 near2 hold\$3) with bias\$3 same analog same digital	EPO; JPO; DERWENT	2002/11/04 16:10
-	189	(sampl\$3 near2 hold\$3) with bias\$3 and analog with digital	USPAT	2002/11/04 16:23

-	160	((sampl\$3 near2 hold\$3) with bias\$3 and analog with digital) not ((sampl\$3 near2 hold\$3) with bias\$3 same analog same digital)	USPAT	2002/11/04 16:12
-	160	((sampl\$3 near2 hold\$3) with bias\$3 and analog with digital) not ((sampl\$3 near2 hold\$3) with bias\$3 same analog same digital)) not ((sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1)	USPAT	2002/11/04 16:12
-	53	(sampl\$3 near2 hold\$3) with bias\$3 with amplifier\$1 and analog with digital	USPAT	2002/11/04 16:34
-	3	(sampl\$3 near2 hold\$3) with bias\$3 with amplifier\$1 and analog with digital	EPO; JPO; DERWENT	2002/11/04 16:34
-	6	(sampl\$3 near2 hold\$3) with bias\$3 with amplifier\$1 and analog with digital	US-PGPUB	2002/11/04 16:34
-	17	(sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1	US-PGPUB	2002/11/04 16:36
-	17	((sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1) not 17]	US-PGPUB	2002/11/04 16:36
-	15	((sampl\$3 near2 hold\$3) with bias\$3 with voltage\$1) not ((sampl\$3 near2 hold\$3) with bias\$3 with amplifier\$1 and analog with digital)	US-PGPUB	2002/11/13 10:36
-	412	(sampl\$3 near2 hold\$3) with (scaled or scaling or scale)	USPAT	2002/11/13 10:40
-	41	(sampl\$3 near2 hold\$3) with (scaled or scaling) with amplif\$5	USPAT	2002/11/13 11:13
-	20	(sampl\$3 near2 hold\$3) with (scale) with amplif\$5 with voltage\$1	USPAT	2002/11/13 13:25
-	3	(sampl\$3 near2 hold\$3) with (scale) with amplif\$5 with voltage\$1	EPO; JPO; DERWENT	2002/11/13 13:27
-	831	(sampl\$3 near3 hold\$3) near3 amplif\$5 with voltage\$1	USPAT	2002/11/13 14:18
-	13	(sampl\$3 near3 hold\$3) same match\$3 same dynamic adj range\$1	USPAT	2002/11/14 08:18